

How to Calculate Weight-for-Height Z-Score (WHZ) in Children 0–59 Months of Age

A weight-for-length/height z-score (WHZ) compares a child's weight to the weight of a child of the same length/height and sex to classify nutritional status.

To use the charts to classify children's nutritional status:

1. Find the correct table for the child's age (0–23 months or 24–59 months) and sex (boy or girl). Measure children 0–23 months of age or less than 87 cm long lying down (length). Measure children 24–59 months of age or taller than 87 cm standing up (height).
2. Find the figure closest to the child's length/height in the left column.
3. Move your finger to the right to find the range that contains the child's weight.
4. The label at the top of the column with the range containing the child's weight tells you the child's nutritional status.

BOYS 0–23 months, weight-for-length

Length (cm) ↓	SAM < -3	MAM ≥ -3 to < -2	Normal ≥ -2 to ≤ +2	Overweight > +2 to ≤ +3	Obesity > +3
	Weight (kg) →				
45	0–1.8	1.9	2.0–3.0	3.1–3.3	> 3.3
46	0–1.9	2.0–2.1	2.2–3.1	3.2–3.5	> 3.5
47	0–2.0	2.1–2.2	2.3–3.3	3.4–3.7	> 3.7
48	0–2.2	2.3–2.4	2.5–3.6	3.7–3.9	> 3.9
49	0–2.3	2.4–2.5	2.6–3.8	3.9–4.2	> 4.2
50	0–2.5	2.6–2.7	2.8–4.0	4.1–4.4	> 4.4
51	0–2.6	2.7–2.9	3.0–4.2	4.3–4.7	> 4.7
52	0–2.8	2.9–3.1	3.2–4.5	4.6–5.0	> 5.0
53	0–3.0	3.1–3.3	3.4–4.8	4.9–5.3	> 5.3
54	0–3.2	3.3–3.5	3.6–5.1	5.2–5.6	> 5.6
55	0–3.5	3.6–3.7	3.8–5.4	5.5–6.0	> 6.0
56	0–3.7	3.8–4.0	4.1–5.8	5.9–6.3	> 6.3
57	0–3.9	4.0–4.2	4.3–6.1	6.2–6.7	> 6.7
58	0–4.2	4.3–4.5	4.6–6.4	6.5–7.1	> 7.1
59	0–4.4	4.5–4.7	4.8–6.8	6.9–7.4	> 7.4
60	0–4.6	4.7–5.0	5.1–7.1	7.2–7.8	> 7.8
61	0–4.8	4.9–5.2	5.3–7.4	7.5–8.1	> 8.1
62	0–5.0	5.1–5.5	5.6–7.7	7.8–8.5	> 8.5
63	0–5.2	5.3–5.7	5.8–8.0	8.1–8.8	> 8.8
64	0–5.4	5.5–5.9	6.0–8.3	8.4–9.1	> 9.1
65	0–5.6	5.7–6.1	6.2–8.6	8.7–9.4	> 9.4
66	0–5.8	5.9–6.3	6.4–8.9	9.0–9.7	> 9.7
67	0–6.0	6.1–6.5	6.6–9.2	9.3–10.0	> 10.0
68	0–6.2	6.3–6.7	6.8–9.4	9.5–10.3	> 10.3
69	0–6.4	6.5–6.9	7.0–9.7	9.8–10.6	> 10.6
70	0–6.5	6.6–7.1	7.2–10.0	10.1–10.9	> 10.9
71	0–6.7	6.8–7.3	7.4–10.2	10.3–11.2	> 11.2
72	0–6.9	7.0–7.5	7.6–10.5	10.6–11.5	> 11.5
73	0–7.1	7.2–7.6	7.7–10.8	10.9–11.8	> 11.8
74	0–7.2	7.3–7.8	7.9–11.0	11.1–12.1	> 12.1
75	0–7.4	7.5–8.0	8.1–11.3	11.4–12.3	> 12.3
76	0–7.5	7.6–8.2	8.3–11.5	11.6–12.6	> 12.6
77	0–7.7	7.8–8.3	8.4–11.7	11.8–12.8	> 12.8
78	0–7.8	7.9–8.5	8.6–12.0	12.1–13.1	> 13.1
79	0–8.0	8.1–8.6	8.7–12.2	12.3–13.3	> 13.3
80	0–8.1	8.2–8.8	8.9–12.4	12.5–13.6	> 13.6
81	0–8.3	8.4–9.0	9.1–12.6	12.7–13.8	> 13.8
82	0–8.4	8.5–9.1	9.2–12.8	12.9–14.0	> 14.0
83	0–8.6	8.7–9.3	9.4–13.1	13.2–14.3	> 14.3
84	0–8.8	8.9–9.5	9.6–13.3	13.4–14.6	> 14.6
85	0–9.0	9.1–9.7	9.8–13.6	13.7–14.9	> 14.9
86	0–9.2	9.3–9.9	10.0–13.9	14.0–15.2	> 15.2

GIRLS 0–23 months, weight-for-length

Length (cm) ↓	SAM < -3	MAM ≥ -3 to < -2	Normal ≥ -2 to ≤ +2	Overweight > +2 to ≤ +3	Obesity > +3
	Weight (kg) →				
45	0–1.8	1.9–2.0	2.1–3.0	3.1–3.3	> 3.3
46	0–1.9	2.0–2.1	2.2–3.2	3.3–3.5	> 3.5
47	0–2.1	2.2–2.3	2.4–3.4	3.5–3.7	> 3.7
48	0–2.2	2.3–2.4	2.5–3.6	3.7–4.0	> 4.0
49	0–2.3	2.4–2.5	2.6–3.8	3.9–4.2	> 4.2
50	0–2.5	2.6–2.7	2.8–4.0	4.1–4.5	> 4.5
51	0–2.7	2.8–2.9	3.0–4.3	4.4–4.8	> 4.8
52	0–2.8	2.9–3.1	3.2–4.6	4.7–5.1	> 5.1
53	0–3.0	3.1–3.3	3.4–4.9	5.0–5.4	> 5.4
54	0–3.2	3.3–3.5	3.6–5.2	5.3–5.7	> 5.7
55	0–3.4	3.5–3.7	3.8–5.5	5.6–6.1	> 6.1
56	0–3.6	3.7–3.9	4.0–5.8	5.9–6.4	> 6.4
57	0–3.8	3.9–4.2	4.3–6.1	6.2–6.8	> 6.8
58	0–4.0	4.1–4.4	4.5–6.5	6.6–7.1	> 7.1
59	0–4.2	4.3–4.6	4.7–6.8	6.9–7.5	> 7.5
60	0–4.4	4.5–4.8	4.9–7.1	7.2–7.8	> 7.8
61	0–4.6	4.7–5.0	5.1–7.4	7.5–8.2	> 8.2
62	0–4.8	4.9–5.2	5.3–7.7	7.8–8.5	> 8.5
63	0–5.0	5.1–5.4	5.5–8.0	8.1–8.8	> 8.8
64	0–5.2	5.3–5.6	5.7–8.3	8.4–9.1	> 9.1
65	0–5.4	5.5–5.8	5.9–8.6	8.7–9.5	> 9.5
66	0–5.5	5.6–6.0	6.1–8.8	8.9–9.8	> 9.8
67	0–5.7	5.8–6.2	6.3–9.1	9.2–10.0	> 10.0
68	0–5.9	6.0–6.4	6.5–9.4	9.5–10.3	> 10.3
69	0–6.0	6.1–6.6	6.7–9.6	9.7–10.6	> 10.6
70	0–6.2	6.3–6.8	6.9–9.9	10.0–10.9	> 10.9
71	0–6.4	6.5–6.9	7.0–10.1	10.2–11.1	> 11.1
72	0–6.5	6.6–7.1	7.2–10.3	10.4–11.4	> 11.4
73	0–6.7	6.8–7.3	7.4–10.6	10.7–11.7	> 11.7
74	0–6.8	6.9–7.4	7.5–10.8	10.9–11.9	> 11.9
75	0–7.0	7.1–7.6	7.7–11.0	11.1–12.2	> 12.2
76	0–7.1	7.2–7.7	7.8–11.2	11.3–12.4	> 12.4
77	0–7.3	7.4–7.9	8.0–11.5	11.6–12.6	> 12.6
78	0–7.4	7.5–8.1	8.2–11.7	11.8–12.9	> 12.9
79	0–7.6	7.7–8.2	8.3–11.9	12.0–13.1	> 13.1
80	0–7.7	7.8–8.4	8.5–12.1	12.2–13.4	> 13.4
81	0–7.9	8.0–8.6	8.7–12.4	12.5–13.7	> 13.7
82	0–8.0	8.1–8.7	8.8–12.6	12.7–13.9	> 13.9
83	0–8.2	8.3–8.9	9.0–12.9	13.0–14.2	> 14.2
84	0–8.4	8.5–9.1	9.2–13.2	13.3–14.5	> 14.5
85	0–8.6	8.7–9.3	9.4–13.5	13.6–14.9	> 14.9
86	0–8.8	8.9–9.6	9.7–13.8	13.9–15.2	> 15.2

BOYS 0–23 months, weight-for-length

Length ↓ (cm)	SAM < -3	MAM ≥ -3 to < -2	Normal ≥ -2 to ≤ +2	Overweight > +2 to ≤ +3	Obesity > +3
	Weight (kg) →				
87	0–9.4	9.5–10.1	10.2–14.2	14.3–15.5	> 15.5
88	0–9.6	9.7–10.4	10.5–14.5	14.6–15.8	> 15.8
89	0–9.8	9.9–10.6	10.7–14.7	14.8–16.1	> 16.1
90	0–10.0	10.1–10.8	10.9–15.0	15.1–16.4	> 16.4
91	0–10.2	10.3–11.0	11.1–15.3	15.4–16.7	> 16.7
92	0–10.4	10.5–11.2	11.3–15.6	15.7–17.0	> 17.0
93	0–10.6	10.7–11.4	11.5–15.8	15.9–17.3	> 17.3
94	0–10.7	10.8–11.6	11.7–16.1	16.2–17.6	> 17.6
95	0–10.9	11.0–11.8	11.9–16.4	16.5–17.9	> 17.9
96	0–11.1	11.2–12.0	12.1–16.7	16.8–18.2	> 18.2
97	0–11.3	11.4–12.2	12.3–17.0	17.1–18.5	> 18.5
98	0–11.5	11.6–12.4	12.5–17.3	17.4–18.9	> 18.9
99	0–11.7	11.8–12.6	12.7–17.6	17.7–19.2	> 19.2
100	0–11.9	12.0–12.8	12.9–18.0	18.1–19.6	> 19.6

BOYS 24–59 months, weight-for-height

Height ↓ (cm)	SAM < -3	MAM ≥ -3 to < -2	Normal ≥ -2 to ≤ +2	Overweight > +2 to ≤ +3	Obesity > +3
	Weight (kg) →				
65	0–5.8	5.9–6.2	6.3–8.8	8.9–9.6	> 9.6
66	0–6.0	6.1–6.4	6.5–9.1	9.2–9.9	> 9.9
67	0–6.1	6.2–6.6	6.7–9.4	9.5–10.2	> 10.2
68	0–6.3	6.4–6.8	6.9–9.6	9.7–10.5	> 10.5
69	0–6.5	6.6–7.0	7.1–9.9	10.0–10.8	> 10.8
70	0–6.7	6.8–7.2	7.3–10.2	10.3–11.1	> 11.1
71	0–6.8	6.9–7.4	7.5–10.4	10.5–11.4	> 11.4
72	0–7.0	7.1–7.6	7.7–10.7	10.8–11.7	> 11.7
73	0–7.2	7.3–7.8	7.9–11.0	11.1–12.0	> 12.0
74	0–7.3	7.4–7.9	8.0–11.2	11.3–12.2	> 12.2
75	0–7.5	7.6–8.1	8.2–11.4	11.5–12.5	> 12.5
76	0–7.6	7.7–8.3	8.4–11.7	11.8–12.8	> 12.8
77	0–7.8	7.9–8.4	8.5–11.9	12.0–13.0	> 13.0
78	0–7.9	8.0–8.6	8.7–12.1	12.2–13.3	> 13.3
79	0–8.1	8.2–8.7	8.8–12.3	12.4–13.5	> 13.5
80	0–8.2	8.3–8.9	9.0–12.6	12.7–13.7	> 13.7
81	0–8.4	8.5–9.1	9.2–12.8	12.9–14.0	> 14.0
82	0–8.6	8.7–9.2	9.3–13.0	13.1–14.2	> 14.2
83	0–8.7	8.8–9.4	9.5–13.3	13.4–14.5	> 14.5
84	0–8.9	9.0–9.6	9.7–13.5	13.6–14.8	> 14.8
85	0–9.1	9.2–9.9	10.0–13.8	13.9–15.1	> 15.1
86	0–9.3	9.4–10.1	10.2–14.1	14.2–15.4	> 15.4
87	0–9.5	9.6–10.3	10.4–14.4	14.5–15.7	> 15.7
88	0–9.7	9.8–10.5	10.6–14.7	14.8–16.0	> 16.0

GIRLS 0–23 months, weight-for-length

Length ↓ (cm)	SAM < -3	MAM ≥ -3 to < -2	Normal ≥ -2 to ≤ +2	Overweight > +2 to ≤ +3	Obesity > +3
	Weight (kg) →				
87	0–9.0	9.1–9.8	9.9–14.1	14.2–15.5	> 15.5
88	0–9.2	9.3–10.0	10.1–14.4	14.5–15.9	> 15.9
89	0–9.4	9.5–10.2	10.3–14.7	14.8–16.2	> 16.2
90	0–9.6	9.7–10.4	10.5–15.0	15.1–16.5	> 16.5
91	0–9.8	9.9–10.6	10.7–15.3	15.4–16.9	> 16.9
92	0–10.0	10.1–10.8	10.9–15.6	15.7–17.2	> 17.2
93	0–10.1	10.2–11.0	11.1–15.9	16.0–17.5	> 17.5
94	0–10.3	10.4–11.2	11.3–16.2	16.3–17.9	> 17.9
95	0–10.5	10.6–11.4	11.5–16.5	16.6–18.2	> 18.2
96	0–10.7	10.8–11.6	11.7–16.8	16.9–18.6	> 18.6
97	0–10.9	11.0–11.9	12.0–17.1	17.2–18.9	> 18.9
98	0–11.1	11.2–12.1	12.2–17.5	17.6–19.3	> 19.3
99	0–11.3	11.4–12.3	12.4–17.8	17.9–19.6	> 19.6
100	0–11.5	11.6–12.5	12.6–18.1	18.2–20.0	> 20.0

GIRLS 24–59 months, weight-for-height

Height ↓ (cm)	SAM < -3	MAM ≥ -3 to < -2	Normal ≥ -2 to ≤ +2	Overweight > +2 to ≤ +3	Obesity > +3
	Weight (kg) →				
65	0–5.5	5.6–6.0	6.1–8.7	8.8–9.7	> 9.7
66	0–5.7	5.8–6.2	6.3–9.0	9.1–10.0	> 10.0
67	0–5.8	5.9–6.3	6.4–9.3	9.4–10.2	> 10.2
68	0–6.0	6.1–6.5	6.6–9.5	9.6–10.5	> 10.5
69	0–6.2	6.3–6.7	6.8–9.8	9.9–10.8	> 10.8
70	0–6.3	6.4–6.9	7.0–10.0	10.1–11.1	> 11.1
71	0–6.5	6.6–7.0	7.1–10.3	10.4–11.3	> 11.3
72	0–6.6	6.7–7.2	7.3–10.5	10.6–11.6	> 11.6
73	0–6.8	6.9–7.4	7.5–10.7	10.8–11.8	> 11.8
74	0–6.9	7.0–7.5	7.6–11.0	11.1–12.1	> 12.1
75	0–7.1	7.2–7.7	7.8–11.2	11.3–12.3	> 12.3
76	0–7.2	7.3–7.9	8.0–11.4	11.5–12.6	> 12.6
77	0–7.4	7.5–8.0	8.1–11.6	11.7–12.8	> 12.8
78	0–7.5	7.6–8.2	8.3–11.8	11.9–13.1	> 13.1
79	0–7.7	7.8–8.3	8.4–12.1	12.2–13.3	> 13.3
80	0–7.8	7.9–8.5	8.6–12.3	12.4–13.6	> 13.6
81	0–8.0	8.1–8.7	8.8–12.6	12.7–13.9	> 13.9
82	0–8.2	8.3–8.9	9.0–12.8	12.9–14.1	> 14.1
83	0–8.4	8.5–9.1	9.2–13.1	13.2–14.5	> 14.5
84	0–8.5	8.6–9.3	9.4–13.4	13.5–14.8	> 14.8
85	0–8.7	8.8–9.5	9.6–13.7	13.8–15.1	> 15.1
86	0–8.9	9.0–9.7	9.8–14.0	14.1–15.4	> 15.4
87	0–9.1	9.2–9.9	10.0–14.3	14.4–15.8	> 15.8
88	0–9.3	9.4–10.1	10.2–14.6	14.7–16.1	> 16.1

BOYS 24–59 months, weight-for-height

Height ↓(cm)	SAM	MAM	Normal	Overweight	Obesity
	< -3	≥ -3 to < -2	≥ -2 to ≤ +2	> +2 to ≤ +3	> +3
	Weight (kg) →				
89	0–9.9	10.0–10.7	10.8–14.9	15.0–16.3	> 16.3
90	0–10.1	10.2–10.9	11.0–15.2	15.3–16.6	> 16.6
91	0–10.3	10.4–11.1	11.2–15.5	15.6–16.9	> 16.9
92	0–10.5	10.6–11.3	11.4–15.8	15.9–17.2	> 17.2
93	0–10.7	10.8–11.5	11.6–16.0	16.1–17.5	> 17.5
94	0–10.9	11.0–11.7	11.8–16.3	16.4–17.8	> 17.8
95	0–11.0	11.1–11.9	12.0–16.6	16.7–18.1	> 18.1
96	0–11.2	11.3–12.1	12.2–16.9	17.0–18.4	> 18.4
97	0–11.4	11.5–12.3	12.4–17.2	17.3–18.8	> 18.8
98	0–11.6	11.7–12.5	12.6–17.5	17.6–19.1	> 19.1
99	0–11.8	11.9–12.8	12.9–17.9	18.0–19.5	> 19.5
100	0–12.0	12.1–13.0	13.1–18.2	18.3–19.9	> 19.9
101	0–12.2	12.3–13.2	13.3–18.5	18.6–20.3	> 20.3
102	0–12.4	12.5–13.5	13.6–18.9	19.0–20.7	> 20.7
103	0–12.7	12.8–13.7	13.8–19.3	19.4–21.1	> 21.1
104	0–12.9	13.0–13.9	14.0–19.7	19.8–21.6	> 21.6
105	0–13.1	13.2–14.2	14.3–20.1	20.2–22.0	> 22.0
106	0–13.3	13.4–14.4	14.5–20.5	20.6–22.5	> 22.5
107	0–13.6	13.7–14.7	14.8–20.9	21.0–22.9	> 22.9
108	0–13.8	13.9–15.0	15.1–21.3	21.4–23.4	> 23.4
109	0–14.0	14.1–15.2	15.3–21.8	21.9–23.9	> 23.9
110	0–14.3	14.4–15.5	15.6–22.2	22.3–24.4	> 24.4
111	0–14.5	14.6–15.8	15.9–22.7	22.8–25.0	> 25.0
112	0–14.8	14.9–16.1	16.2–23.1	23.2–25.5	> 25.5
113	0–15.1	15.2–16.4	16.5–23.6	23.7–26.0	> 26.0
114	0–15.3	15.4–16.7	16.8–24.1	24.2–26.6	> 26.6
115	0–15.6	15.7–17.0	17.1–24.6	24.7–27.2	> 27.2
116	0–15.9	16.0–17.3	17.4–25.1	25.2–27.8	> 27.8
117	0–16.1	16.2–17.6	17.7–25.6	25.7–28.3	> 28.3
118	0–16.4	16.5–17.9	18.0–26.1	26.2–28.9	> 28.9
119	0–16.7	16.8–18.2	18.3–26.6	26.7–29.5	> 29.5
120	0–17.0	17.1–18.5	18.6–27.2	27.3–30.1	> 30.1

GIRLS 24–59 months, weight-for-height

Height ↓(cm)	SAM	MAM	Normal	Overweight	Obesity
	< -3	≥ -3 to < -2	≥ -2 to ≤ +2	> +2 to ≤ +3	> +3
	Weight (kg) →				
89	0–9.5	9.6–10.3	10.4–14.9	15.0–16.4	> 16.4
90	0–9.7	9.8–10.5	10.6–15.2	15.3–16.8	> 16.8
91	0–9.9	10.0–10.8	10.9–15.5	15.6–17.1	> 17.1
92	0–10.1	10.2–11.0	11.1–15.8	15.9–17.4	> 17.4
93	0–10.3	10.4–11.2	11.3–16.1	16.2–17.8	> 17.8
94	0–10.5	10.6–11.4	11.5–16.4	16.5–18.1	> 18.1
95	0–10.7	10.8–11.6	11.7–16.7	16.8–18.5	> 18.5
96	0–10.8	10.9–11.8	11.9–17.0	17.1–18.8	> 18.8
97	0–11.0	11.1–12.0	12.1–17.4	17.5–19.2	> 19.2
98	0–11.2	11.3–12.2	12.3–17.7	17.8–19.5	> 19.5
99	0–11.4	11.5–12.4	12.5–18.0	18.1–19.9	> 19.9
100	0–11.6	11.7–12.7	12.8–18.4	18.5–20.3	> 20.3
101	0–11.9	12.0–12.9	13.0–18.7	18.8–20.7	> 20.7
102	0–12.1	12.2–13.2	13.3–19.1	19.2–21.1	> 21.1
103	0–12.3	12.4–13.4	13.5–19.5	19.6–21.6	> 21.6
104	0–12.5	12.6–13.7	13.8–19.9	20.0–22.0	> 22.0
105	0–12.8	12.9–13.9	14.0–20.3	20.4–22.5	> 22.5
106	0–13.0	13.1–14.2	14.3–20.8	20.9–23.0	> 23.0
107	0–13.3	13.4–14.5	14.6–21.2	21.3–23.5	> 23.5
108	0–13.6	13.7–14.8	14.9–21.7	21.8–24.0	> 24.0
109	0–13.8	13.9–15.1	15.2–22.1	22.2–24.5	> 24.5
110	0–14.1	14.2–15.4	15.5–22.6	22.7–25.1	> 25.1
111	0–14.4	14.5–15.7	15.8–23.1	23.2–25.7	> 25.7
112	0–14.7	14.8–16.1	16.2–23.6	23.7–26.2	> 26.2
113	0–15.0	15.1–16.4	16.5–24.2	24.3–26.8	> 26.8
114	0–15.3	15.4–16.7	16.8–24.7	24.8–27.4	> 27.4
115	0–15.6	15.7–17.1	17.2–25.2	25.3–28.1	> 28.1
116	0–15.9	16.0–17.4	17.5–25.8	25.9–28.7	> 28.7
117	0–16.2	16.3–17.7	17.8–26.3	26.4–29.3	> 29.3
118	0–16.5	16.6–18.1	18.2–26.9	27.0–29.9	> 29.9
119	0–16.8	16.9–18.4	18.5–27.4	27.5–30.6	> 30.6
120	0–17.2	17.3–18.8	18.9–28.0	28.1–31.2	> 31.2